Gevelcoating A-component

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 22/12/2013 Revision date: 31/12/2024 Supersedes version of: 06/12/2021 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Gevelcoating A-component

UFI : 6X80-D0YW-100E-GX56

Type of product : Polymers

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use,Professional use

Use of the substance/mixture : Coating
A-component corresponding to B-component

1.3. Details of the supplier of the safety data sheet

Quartzline B.V.
W.A. Boogaerdtstraat 5
NL 3316 BN Dordrecht
Nederland
T +31 (0)78 6513100, F +31 (0)78 6177390
info@quartzline.nl, www.quartzline.nl

1.4. Emergency telephone number

Emergency number : +31 (0)78 6513100
This number is serviced during office hours.

Country/Area	Organisation/Company	Address	Emergency number	Comment
Austria	Vergiftungsinformationszentrale	Stubenring 6 1010 Vienna	+43 1 406 43 43	
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Bulgaria	Национален токсикологичен информационен център Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов"	бул. Ген. Едуард И. Тотлебен 21 1606 Sofia	+359 2 9154 233	The phone is active 24/7 and calls to it are free
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	Information available 24/7 in Croatian and English
Cyprus	Κέντρου Δηλητηριάσεων Τμήμα Επιθεώρησης Εργασίας	P.O. Box 24855 Nicosia	1401	Operating hours 24 hours / 24 hours, 7 days a week

Country/Area	Organisation/Company	Address	Emergency number	Comment
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Prague	+420 224 919 293 +420 224 915 402	and only in the event of a malfunction, phone 725 103 658 (otherwise there may not be a toxicologist on this phone!) Questions about ACUTE INTOXICATION of people and animals are dealt with exclusively on TIS direct telephone lines 24 hours a day
Denmark	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23E Opgang 20 C 2400 Copenhagen	+45 82 12 12 12	
Estonia	Mürgistusteabekeskus Terviseamet	Paldiski mnt 81 10614 Tallinn	16662 +372 7943 794	Calling the hotline is anonymous and at the cost of a local call.
Finland	Myrkytystietokeskus	Stenbäckinkatu 9 PO BOX 100 00029 Helsinki	+358 800 147 111 +358 9 471 977	Open 24 hours a day 0800 147 111 (free of charge) 09 471 977 (normal rate call)
France	ORFILA		+33 1 45 42 59 59	This number automatically directs calls to the nearest poison control center, based on the caller's location. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.
France	Centre antipoison de Marseille Hôpital Sainte Marguerite	270 boulevard de Sainte Marguerite 13274 Marseille Cedex 09	+33 4 91 75 25 25	
France	Centre antipoison de Paris Hôpital Fernand Widal	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	+33 1 40 05 48 48	

Country/Area	Organisation/Company	Address	Emergency number	Comment
Germany	Informationszentrale gegen Vergiftungen Klinik und Poliklinik für Allgemeine Pädiatrie, Zentrum für Kinderheilkunde, Universitätsklinikum Bonn	Gebäude 30, ELKI (Eltern-Kind-Zentrum) Venusberg-Campus 1 53127 Bonn	+49 (0) 228 19240	
Germany	Vergiftungs-Informations-Zentrale Universitätsklinikum Freiburg, Zentrum für Kinder- und Jugendmedizin	Breisacher Str. 86b 79110 Freiburg	+49 (0) 761 19240	
Germany	Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 (0) 551 19240	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 21 07 79 37 77	
Hungary	Nemzeti Népegészségügyi Központ Egészségügyi Toxikológiai Tájékoztató Szolgálat	Albert Flórián út 2-6 1097 Budapest	+36 80 20 11 99 +36 1 476 6464	Emergency number 1: (0-24 hours, free of charge - only from Hungary) Emergency number 2: (0-24 hours, can be called for a normal fee - also from abroad)
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Italy	Centro Antiveleni di Bergamo Azienda Ospedaliera Papa Giovanni XXII	Piazza OMS - Organizzazione Mondiale della Sanità, 1 24127 Bergamo	800 88 33 00	
Italy	Centro Antiveleni di Milano Ospedale Niguarda Ca' Granda	Piazza Ospedale Maggiore 3 20162 Milan	02 6610 1029	
Italy	Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore	Largo Agostino Gemelli, 8 00168 Rome	06 305 4343	
Italy	Centro Antiveleni di Firenze Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia Clinicaicologia Clinica	Largo Brambilla, 3 50134 Florence	055 794 7819	
Italy	Centro Antiveleni di Pavia CAV Centro Nazionale di Informazione Tossicologica, Istituti Clinici Scientifici Maugeri Spa	Via Salvatore Maugeri, 10 27100 Pavia	03 822 4444	

Country/Area	Organisation/Company	Address	Emergency number	Comment
Italy	Centro Antiveleni di Foggia Az. Osp. Univ. Foggia	V.le Luigi Pinto, 1 71122 Foggia	800 183 459	
Italy	Centro Antiveleni di Napoli Az. Osp. "A. Cardarelli"	Via A. Cardarelli, 9 80131 Naples	081 54 53 333	
Italy	Centro Antiveleni di Verona Azienda Ospedaliera Integrata Verona	Piazzale Aristide Stefani, 1 37126 Verona	800 011 858	
Latvia	Valsts ugunsdzēsības un glābšanas dienests Toksikoloģijas un sepses klīnikas Saindēšanās un zāļu informācijas centrs	Hipokrāta 2 1038 Riga	112 +371 67 04 24 73	works 24 hours a day
Lithuania	Apsinuodijimų informacijos biuras	Šiltnamių g. 29 04130 Vilnius	+370 (5) 236 20 52	
Luxembourg	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+352 8002 5500	Free telephone number with a 24/7 access. Experts answer all urgency questions on dangerous products in French, Dutch and English
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC)	Huispostnummer Q03.2.315 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications (24 hours a day, 7 days a week)
Poland	Instytut Medycyny Pracy imienia prof. dra med. Jerzego Nofera	ul. św. Teresy od Dzieciątka Jezus 8 91-348 Łódź	+48 42 631 45 02 +48 42 655 25 05	
Portugal	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica	Rua Almirante Barroso, 36 1000-013 Lisbon	+351 800 250 250	
Romania	Spitalul Clinic de Urgenta Bucuresti Secția Clinică ATI II - Toxicologie Clinică	Calea Floreasca nr. 8 sector 1 Bucharest	+40 21 599 23 00	(information provided in Romanian and English)
Slovakia	Národné toxikologické informačné centrum Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie	Limbová 5 833 05 Bratislava	+421 2 54 77 41 66 +421 911 166 066	

Country/Area	Organisation/Company	Address	Emergency number	Comment
Slovenia	Center za klinično toksikologijo in farmakologijo Univerzitetni klinični, Center ljubljana	Zaloška 7 1000 Ljubljana	112	
Spain	Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid	C/José Echegaray nº4 28232 Las Rozas de Madrid	+34 91 562 04 20 +34 91 411 26 76 (teléfono solo para médicos)	(Toxicological emergencies only). Information in Spanish (24/7)
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54 Solna	112 – begär Giftinformation	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS07

Signal word (CLP) : Warning

Contains : formaldehyde ; METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE; METHYLISOTHIAZOLINONE

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P261 - Avoid breathing mist.
P280 - Wear protective gloves.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide substance with national workplace exposure limit(s) (BE, BG, DK, EE, FR, GR, IE, HR, LV, LT, AT, PL, PT, RO, SK, ES, SE) (Note V)(Note W)(Note 10)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2	3 – 10	Carc. 2, H351
formaldehyde substance with national workplace exposure limit(s) (BE, BG, DK, DE, EE, FI, FR, HU, IE, IT, HR, LT, LU, MT, NL, AT, PL, PT, RO, SI, SK, ES, CZ, SE); substance with a Community workplace exposure limit (Note B)(Note D)(Note F)	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953-20	0.01 – 0.03	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Skin Sens. 1A, H317 EUH071
2-methylisothiazol-3(2H)-one substance with national workplace exposure limit(s) (AT)	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50	< 0.01	Acute Tox. 2 (Inhalation), H330 (ATE=0.11 mg/l/4h) Acute Tox. 3 (Dermal), H311 (ATE=242 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=120 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH071
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) substance with national workplace exposure limit(s) (DE, NL, AT, PL, SI) (Note B)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	< 0.001	Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=87.12 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=200 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (Conc. (% w/w))**
formaldehyde	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953-20	(5 ≤ C < 25) Eye Irrit. 2; H319 (5 ≤ C < 25) Skin Irrit. 2; H315 (5 ≤ C ≤ 100) STOT SE 3; H335 (25 ≤ C ≤ 100) Skin Corr. 1B; H314

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (Conc. (% w/w))**
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317 (0.06 ≤ C < 0.6) Eye Irrit. 2; H319 (0.06 ≤ C < 0.6) Skin Irrit. 2; H315 (0.6 ≤ C ≤ 100) Eye Dam. 1; H318 (0.6 ≤ C ≤ 100) Skin Corr. 1C; H314

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid … %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Note F: This substance may contain a stabiliser. If the stabiliser changes the hazardous properties of the substance, as indicated by the classification in Part 3, classification and labelling should be provided in accordance with the rules for classification and labelling of hazardous mixtures.

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Full text of H- and EUH-statements: see section 16

Components - Nanoform

Titanium dioxide (13463-67-7)	
Name of (set of) nanoform(s)	**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Remove contaminated clothes. Wash skin with plenty of water. Get medical advice if skin irritation persists.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting without medical advice. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Presents no particular fire or explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Avoid breathing mist.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Sweep or shovel spills into appropriate container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Do not breathe sprayings. Concerning personal protective equipment to use, see section 8.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.
Heat and ignition sources	: Keep away from heat and direct sunlight.
Packaging materials	: Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

formaldehyde (50-00-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Formaldehyde
IOEL TWA	0.37 mg/m³ (BOEL) 0.62 mg/m³ (Limit value for the health care, funeral and embalming sectors until 11 July 2024)
IOEL STEL	0.74 mg/m³ (BOEL)
	0.6 ppm (BOEL)
Remark	Dermal sensitisation
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)
EU - Binding Occupational Exposure Limit (BOEL)	
Local name	Formaldehyde
BOEL TWA	0.37 mg/m³
	0.3 ppm
BOEL STEL	0.74 mg/m³
	0.6 ppm
Notes	Dermal sensitisation (The substance can cause sensitisation of the skin)
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)
Austria - Occupational Exposure Limits	
Local name	Formaldehyd
MAK (OEL TWA)	0.37 mg/m³
	0.3 ppm
OEL C	0.74 mg/m³
	0.6 ppm
Remark	Sh. Krebserzeugend: III A2
Regulatory reference	BGBl. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Aldéhyde formique # Formaldehyde
OEL STEL	0.38 mg/m³
	0.3 ppm

formaldehyde (50-00-0)	
Remark	C: la mention “C” signifie que l’agent en question relève du champ d’application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoiques du livre VI du code de bien-être au travail, M: la mention “M” indique que lors d’une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d’intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l’exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d’échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d’échantillonnage. # C: de vermelding “C” betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk, M: de vermelding “M” duidt aan dat bij de blootstelling boven de grenswaarde irritatie optreedt of er gevaar bestaat voor acute vergiftiging. Het werkprocédé moet zo zijn ontworpen dat de blootstelling de grenswaarde nooit overschrijdt. Bij een controle geldt dat de bemonsterde periode zo kort mogelijk moet zijn om een betrouwbare meting te kunnen verrichten. Het meetresultaat wordt dan gerelateerd aan de beschouwde periode.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Bulgaria - Occupational Exposure Limits	
Local name	Формалдехид
OEL TWA	0.62 mg/m³ (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането до 10 юли 2027 г.) 0.37 mg/m³ (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането - от 11 юли 2027 г.)
	0.3 ppm (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането - от 11 юли 2027 г.)
OEL STEL	0.74 mg/m³ (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането - от 11 юли 2027 г.)
	0.5 ppm (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането до 10 юли 2027 г.) 0.6 ppm (Гранична стойност за секторите на здравеопазването, погребалните услуги и балсамирането - от 11 юли 2027 г.)
Remark	Кожна сенсибилизация (Веществото може да предизвика сенсибилизация на кожата)
Regulatory reference	Наредба № 10 от 26.09.2003 г. за защита на работещите от рискове, свързани с експозиция на канцерогени и мутагени при работа (изм. и доп. ДВ. бр. 28 от 2 Април 2024г.)
Croatia - Occupational Exposure Limits	
Local name	Formaldehid
GVI (OEL TWA)	0.37 mg/m³
	0.3 ppm
KGVI (OEL STEL)	0.74 mg/m³
	0.6 ppm
Remark	Direktiva: 2019/983. Napomena: Alergen koža (tvar koja može izazvati alergijsku reakciju na koži (H317)), Karc 1B

formaldehyde (50-00-0)	
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
Czech Republic - Occupational Exposure Limits	
Local name	Formaldehyd (Methanal)
PEL (OEL TWA)	0.37 mg/m³
	0.3 ppm
NPK-P (OEL C)	0.74 mg/m³
	0.6 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži, K - karcinogen kategorie 1A a 1B (s větou H350, H350i), S - látka má senzibilizující účinek (s větou H317, H334).
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Formaldehyd (Formalin)
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	E (betyder, at stoffet har en EU-grænseværdi); K (betyder, at stoffet anses for at kunne være kræftfremkaldende og omfattet af bekendtgørelse om foranstaltninger til forebyggelse af risici ved arbejde med stoffer og materialer, der kan være kræftfremkaldende, mutagene eller reproduktionstoksiske). Hudsensibiliserende
Regulatory reference	BEK nr 1619 af 19/12/2024
Estonia - Occupational Exposure Limits	
Local name	Formaldehüüd (metanaal)
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	C (Kantserogeenne aine), S (Sensibiliseeriv aine)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)
Finland - Occupational Exposure Limits	
Local name	Formaldehydi
BOEL TWA	0.37 mg/m³
	0.3 ppm
BOEL STEL	0.74 mg/m³
	0.6 ppm
Remark	Ihoherkistyminen. Syöpäsairauden vaaraa aiheuttavat ja perimää vaurioittavat tekijät

formaldehyde (50-00-0)	
Regulatory reference	HTP-ARVOT 2025 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Formaldéhyde (Aldéhyde formique)
VME (OEL TWA)	0.37 mg/m³
	0.3 ppm
VLE (OEL C/STEL)	0.74 mg/m³
	0.6 ppm
Remark	Valeurs réglementaires contraignantes. Cancérogène de catégorie 1B, Mutagène de catégorie 2, La substance peut provoquer une sensibilisation cutanée. Les travaux exposants au formaldéhyde sont considérés comme cancérogènes (arrêté du 26 octobre 2020 modifié)
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849; Décret n° 2024-307)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Formaldehyd
AGW (OEL TWA)	0.37 mg/m³
	0.3 ppm
Peak exposure limitation factor	2(I)
Remark	AGS - Ausschuss für Gefahrstoffe; Sh - Hautsensibilisierender Stoff; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden; X - Krebserzeugender Stoff der Kat. 1A oder 1B oder krebserzeugende Tätigkeit oder Verfahren nach § 2 Absatz 3 Nr. 4 der Gefahrstoffverordnung – es ist zusätzlich § 10 GefStoffV zu beachten
Regulatory reference	TRGS900
Hungary - Occupational Exposure Limits	
Local name	FORMALDEHID
AK (OEL TWA)	0.37 mg/m³
	0.3 ppm
CK (OEL STEL)	0.74 mg/m³
	0.6 ppm
Remark	k(1B) (rákkeltő), b (Bőrön át is felszívódik), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat), sz (Túlérzékenységet okozó (szenzibilizáló) tulajdonságú anyag. Az anyagra érzékeny egyéneken „túlérzékenységen” alapuló bőr-, légzőrendszeri, esetleg más szervet/szervrendszert károsító megbetegedést okozhat); EU7 (2019/983/EU irányelvben közölt érték); T (Azok az anyagok, amelyek egészségkárosító hatása TARTÓS expozíciót követően jelentkezik)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Formaldehyde

formaldehyde (50-00-0)	
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.738 mg/m³
	0.6 ppm
Remark	BOELV (Binding Occupational Exposure Limit Values), Carc.1B (Substances presumed to have carcinogenic potential for humans), Sens (In the workplace, respiratory or dermal exposures to sensitising agents may occur. Sensitisers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The “sens” notation alone does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitisers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2024
Italy - Occupational Exposure Limits	
Local name	Formaldeide
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	Sensibilizzazione cutanea
Regulatory reference	Allegato XLIII del Decreto Legislativo 4 settembre 2024, n. 135 - Protezione da agenti cancerogeni, mutageni o da sostanze tossiche per la riproduzione
Lithuania - Occupational Exposure Limits	
Local name	Formaldehidas
IPRV (OEL TWA)	0.37 mg/m³ 0.62 mg/m³ (Sveikatos priežiūros, laidotuvių ir balzamavimo sektoriams)
	0.3 ppm 0.5 ppm (Sveikatos priežiūros, laidotuvių ir balzamavimo sektoriams)
TPRV (OEL STEL)	0.74 mg/m³
	0.6 ppm
Remark	Ū (ūmus poveikis); J (jautrinantis poveikis); K (kancerogeninis poveikis); Medžiaga gali sukelti odos jautrinimą.
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-1203/A1-64, 2019-10-24)
Luxembourg - Occupational Exposure Limits	
Local name	Formaldéhyde
OEL TWA	0.37 mg/m³ 0.62 mg/m³
	0.3 ppm 0.5 ppm

formaldehyde (50-00-0)	
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	Sensibilisation cutanée
Regulatory reference	Mémorial A Nº 223 de 2021 concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou mutagènes au travail
Malta - Occupational Exposure Limits	
Local name	Formaldehyde # Formaldeid
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	Dermal sensitisation # Sensitizzazzjoni tal-ġilda
Regulatory reference	S.L. 424.22 - Exposure to Carcinogens, Mutagens or Reprotoxic Substances at Work Regulations (L.N. 102 of 2024) # L.S. 424.22 - Regolamenti dwar Espożizzjoni għall-Carcinogens, Mutagens jew Reprotoxic Substances fuq il-Post tax-Xogħol (A.L. 102 tal-2024)
Netherlands - Occupational Exposure Limits	
Local name	Formaldehyde
Grenswaarde TGG 8H (mg/m³)	0.15 mg/m³ (Sensibilisatie van de huid)
Grenswaarde TGG 8H (ppm)	0.12 ppm
Grenswaarde TGG 15MIN (mg/m³)	0.5 mg/m³
Grenswaarde TGG 15MIN (ppm)	0.41 ppm
Remark	Kankerverwekkende stof
Regulatory reference	Arbeidsomstandighedenregeling 2024
Poland - Occupational Exposure Limits	
Local name	Formaldehyd
NDS (OEL TWA)	0.37 mg/m³
NDSCh (OEL STEL)	0.74 mg/m³
Remark	Substancja może mieć działanie uczulające na skórę. Skóra (Oznakowanie substancji notacją „skóra" oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2024 poz. 1017 wraz z późn. zm.
Portugal - Occupational Exposure Limits	
Local name	Formaldeído
OEL C	0.3 mg/m³
	0.3 ppm
Remark	S (Agente com potencial para produzir sensibilização); A2 (Agente carcinogénico confirmado nos animais de laboratorio con relevância desconhecida no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014

formaldehyde (50-00-0)	
Romania - Occupational Exposure Limits	
Local name	Formaldehidă
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	P - posibilitatea unei penetrări cutanate importante; C2 - susceptibil de a provoca apariția cancerului
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
Slovakia - Occupational Exposure Limits	
Local name	Formaldehyd (metanál)
NPHV (OEL TWA)	0.37 mg/m³
	0.3 ppm
NPHV (OEL STEL)	0.74 mg/m³
	0.6 ppm
Remark	Kategória karcinogénnych faktorov 1B – Pravdepodobný karcinogén; S* – látka môže spôsobiť dermálnu senzibilizáciu (senzibilizáciu kože).
Regulatory reference	Nariadenie vlády č. 356/2006 Z. z. (121/2024 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	formaldehid
OEL TWA	0.37 mg/m³
	0.3 ppm
OEL STEL	0.74 mg/m³
	0.6 ppm
Remark	Rakotvorne snovi – kategorija 1B, Mutagene snovi za zarodne celice – kategorija 2. EU, K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), SK (Snov lahko povzroči preobčutljivost kože)
Regulatory reference	Uradni list RS, št. 29/2024 z dne 4.4.2024 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti rakotvornim ali mutagenim snovem
Spain - Occupational Exposure Limits	
Local name	Formaldehído
VLA-ED (OEL TWA)	0.37 mg/m³
	0.3 ppm
VLA-EC (OEL STEL)	0.74 mg/m³
	0.6 ppm

formaldehyde (50-00-0)	
Remark	C1B (Supuesto carcinógeno para el hombre), Sen (Sensibilizante), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2025. INSHT
Sweden - Occupational Exposure Limits	
Local name	Formaldehyd
NGV (OEL TWA)	0.37 mg/m³
	0.3 ppm
KGV (OEL STEL)	0.74 mg/m³
	0.6 ppm
Remark	C (Ämnet är cancerframkallande); H (Ämnet tas lätt upp genom huden. Gränsvärdet bedöms ge tillräckligt skydd om huden är skyddad); SH (Sensibiliserande ämnen som kan ge allergi eller annan överkänslighet i huden); 24 (Ämnet har ett bindande EU-gränsvärde)
Regulatory reference	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Austria - Occupational Exposure Limits	
Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on (Gemisch im Verhältnis 3:1)
MAK (OEL TWA)	0.05 mg/m³
Remark	(Sh,H)
Regulatory reference	BGBl. II Nr. 156/2021
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	0.05 mg/m³ 8h.
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m³)	0.2 mg/m³
Poland - Occupational Exposure Limits	
Local name	5-Chloro-2-metylo-2H-izotiazol-3-on i 2-metylo-2H-izotiazol-3-on (masa poreakcyjna 3:1)
NDS (OEL TWA)	0.2 mg/m³
NDSCh (OEL STEL)	0.4 mg/m³
Remark	Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2024 poz. 1017 wraz z późn. zm.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Slovenia - Occupational Exposure Limits	
OEL TWA	0.05 mg/m³
	Kortidsvärde (KTV) (mg/m³)
	0.05

2-methylisothiazol-3(2H)-one (2682-20-4)	
Austria - Occupational Exposure Limits	
Local name	2-Methyl-2,3-di-hydroisothiazol-3-on
MAK (OEL TWA)	0.05 mg/m³
Remark	Sh
Regulatory reference	BGBl. II Nr. 156/2021

Titanium dioxide (13463-67-7)	
Austria - Occupational Exposure Limits	
Local name	Titandioxid (Alveolarstaub)
MAK (OEL TWA)	5 mg/m³ (A)
MAK (OEL STEL)	10 mg/m³ (A, 2x 60(Miw) min)
Regulatory reference	BGBl. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Titane (dioxyde de) # Titaandioxide
OEL TWA	10 mg/m³
Remark	(dioxyde de)
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Bulgaria - Occupational Exposure Limits	
Local name	Титанов диоксид
OEL TWA	10 mg/m³ (респирабилен прах)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 28 от 2024 г., в сила от 05.04.2024 г.)
Croatia - Occupational Exposure Limits	
Local name	Titanov dioksid
GVI (OEL TWA)	10 mg/m³ U (ukupna prašina) 4 mg/m³ R (respirabilna prašina)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
Denmark - Occupational Exposure Limits	
Local name	Titandioxid
OEL TWA	6 mg/m³ beregnet som Ti
OEL STEL	12 mg/m³

Titanium dioxide (13463-67-7)	
Remark	K (betyder, at stoffet anses for at kunne være kræftfremkaldende og omfattet af bekendtgørelse om foranstaltninger til forebyggelse af risici ved arbejde med stoffer og materialer, der kan være kræftfremkaldende, mutagene eller reproduktionstoksiske)
Regulatory reference	BEK nr 1619 af 19/12/2024
Estonia - Occupational Exposure Limits	
Local name	Titaanoksiid
OEL TWA	5 mg/m³
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)
France - Occupational Exposure Limits	
Local name	Titane (dioxyde de), en Ti (Dioxyde de titane)
VME (OEL TWA)	10 mg/m³
Remark	Valeurs recommandées/admises. Cancérogène de catégorie 2
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65)
Greece - Occupational Exposure Limits	
Local name	Τιτανίου διοξείδιο
OEL TWA	10 mg/m³ εισπν. 5 mg/m³ σναπν.
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
Latvia - Occupational Exposure Limits	
Local name	Titāna dioksīds
OEL TWA	10 mg/m³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2024. gada 26. martā noteikumiem Nr. 191).
Lithuania - Occupational Exposure Limits	
Local name	Titano dioksidas
IPRV (OEL TWA)	5 mg/m³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Poland - Occupational Exposure Limits	
Local name	Ditlenek tytanu
NDS (OEL TWA)	10 mg/m³ frakcja wdychalna

Titanium dioxide (13463-67-7)	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która stwarza zagrożenie dla zdrowia po zdeponowaniu w drogach oddechowych. Równolegle oznacza się frakcję respirabilną krystalicznej krzemionki.
Regulatory reference	Dz. U. 2024 poz. 1017 wraz z późn. zm.
Portugal - Occupational Exposure Limits	
Local name	Dióxido de titânio
OEL TWA	10 mg/m³
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Dioxid de titan
OEL TWA	10 mg/m³
OEL STEL	15 mg/m³
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)
Slovakia - Occupational Exposure Limits	
Local name	Oxid titaničitý
NPHV (OEL TWA)	5 mg/m³
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)
Spain - Occupational Exposure Limits	
Local name	Dióxido de titanio
VLA-ED (OEL TWA)	10 mg/m³
Remark	inhalable aerosol
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2025. INSHT
Sweden - Occupational Exposure Limits	
Local name	Titandioxid
NGV (OEL TWA)	5 mg/m³ (totaldamm)
Remark	25 (Med inhalerbar och respirabel fraktion menas de dammfraktioner som definieras i svensk standard SS-EN 481, Arbetsplatsluft – Partikelstorleksfraktioner för mätning av luftburna partiklar (utgåva 1, 1993). Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i en totaldammprovtagare)
Regulatory reference	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Protective goggles. Gloves.

Personal protective equipment symbol(s):

Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Skin protection

Skin and body protection:

Long sleeved protective clothing. EN 340

Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

Hand protection					
Type	**Material**	**Permeation**	**Thickness (mm)**	**Penetration**	**Standard**
Gloves	Nitrile rubber (NBR), Butyl rubber, Polyvinylchloride (PVC)	6 (> 480 minutes)	>0.11		ISO 374-1

Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Respiratory protection			
Device	**Filter type**	**Condition**	**Standard**
Breathing apparatus	Type A - High-boiling (>65 °C) organic compounds, Type P2	Protection for Liquid particles	EN 143

Environmental exposure controls

Environmental exposure controls:

Clean up any spills as soon as possible, using an absorbent material to collect it. Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 100 °C

Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

See section 3 for more information about nano properties.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Extremely high or low temperatures. Keep away from heat and direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 oral rat	200 mg/kg
LD50 dermal rabbit	87.12 mg/kg

2-methylisothiazol-3(2H)-one (2682-20-4)	
LD50 oral rat	120 mg/kg
LD50 dermal rat	242 mg/kg
LC50 Inhalation - Rat	0.11 mg/l

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

formaldehyde (50-00-0)	
pH	2.8 – 4

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

formaldehyde (50-00-0)	
pH	2.8 – 4

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met).

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long–term (chronic) : Not classified (Based on available data, the classification criteria are not met)

formaldehyde (50-00-0)	
EC50 - Crustacea [1]	5.8 mg/l (Daphnia pulex)
ErC50 algae	4.89 mg/l (OECD 201; Desmodesmus subspicatus)
NOEC chronic crustacea	≥ 6.4 mg/l (OECD 211; Daphnia magna)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l (EPA OPP 72-1; Oncorhynchus mykiss)
EC50 - Crustacea [1]	0.16 mg/l (EPA OPP 72-2; Daphnia magna)
ErC50 algae	0.0199 mg/l (OECD 201; Skeletonema costatum)
NOEC chronic fish	≥ 0.0464 mg/l (OECD 210; Danio rerio)
NOEC chronic crustacea	0.0111 mg/l (OECD 211; Daphnia magna)
NOEC chronic algae	0.00049 mg/l (OECD 201; Skeletonema costatum)

2-methylisothiazol-3(2H)-one (2682-20-4)	
LC50 - Fish [1]	4.77 mg/l (OECD 203; Oncorhynchus mykiss)
EC50 - Crustacea [1]	0.934 mg/l (OECD 202; Daphnia magna)
NOEC chronic fish	2.1 mg/l (OECD 210; Pimephales promelas)
NOEC chronic crustacea	0.044 mg/l (OECD 211; Daphnia magna)
NOEC chronic algae	0.05 mg/l (OECD 201; Pseudokirchneriella subcapitata)

12.2. Persistence and degradability

Gevelcoating A-component	
Persistence and degradability	Readily biodegradable.

formaldehyde (50-00-0)	
Persistence and degradability	Readily biodegradable.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Persistence and degradability	Inherently biodegradable.

2-methylisothiazol-3(2H)-one (2682-20-4)	
Persistence and degradability	Not readily biodegradable.

Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradation: The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Partition coefficient n-octanol/water (Log Pow)	-0.486

2-methylisothiazol-3(2H)-one (2682-20-4)	
Partition coefficient n-octanol/water (Log Pow)	-0.32 (20 °C; pH 7)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Ecological waste information : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

HP Code : HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated for transport			
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated

ADR	IMDG	IATA	RID
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	**Applicable on**	**Entry title or description**
28.	formaldehyde	Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.
3(b)	Gevelcoating A-component ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
72.	formaldehyde	The substances listed in column 1 of the Table in Appendix 12
77.	formaldehyde	Formaldehyde and formaldehyde-releasing substances

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases	
Code	Description
RG 43	Diseases caused by formaldehyde and its polymers
RG 43 BIS	Cancerous conditions caused by formaldehyde
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 1 Entry 1. Paragraph 1) Coated and uncoated wood-based materials (chipboard, blockboard, veneer panels, and fibreboard) may not be placed on the market if the equalizing concentration of formaldehyde in the air in a test room exceeds 0.1 ml / cbm (ppm). Paragraph 2) Furniture that contains wood-based materials that do not meet the requirements of Paragraph 1 may not be placed on the market. Paragraph 1 is also deemed to have been fulfilled if the furniture complies with the equalization concentration specified in paragraph 1 during a whole-body test. Paragraph 3) Detergents, cleaning agents and care products with a mass content of more than 0.2% formaldehyde may not be placed on the market.

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

ABM category : C(2) - low hazard for aquatic organisms occurs naturally in surface water

SZW-lijst van kankerverwekkende stoffen : formaldehyde is listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

Poland

Polish National Regulations	: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225). Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797). The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended). Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923). Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154). Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended). The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488) Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141). ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes		
Section	**Changed item**	**Comments**
	Revision date	**Modified**
	Supersedes	**Modified**
1.1	UFI on SDS 1.1	**Added**
9	Colour	**Modified**
12.2	Persistence and degradability	**Added**
13.1	H code	**Added**
15.1	REACH Annex XVII	**Modified**
16	Data sources	**Modified**

Abbreviations and acronyms:	
SDS	Safety Data Sheet
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PBT	Persistent Bioaccumulative Toxic

Abbreviations and acronyms:	
vPvB	Very Persistent and Very Bioaccumulative
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
LC50	Median lethal concentration
LD50	Median lethal dose
CAS	CAS (Chemical Abstracts Service) number
EG-nr	EINECS- en ELINCS-number
EINECS	European Inventory of Existing Commercial Substances
NOEC	No-Observed Effect Concentration
STOT	Specific Target Organ Toxicity
PNEC	Predicted No-Effect Concentration
	PEC: Predicted Environmental Concentration
OEL	Occupational Exposure Limit

Data sources : ECHA (European Chemicals Agency).

Other information : REACH Disclaimer:
This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1	H317	Calculation method

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)858881927 | info@chemprosbv.nl