

Quartzline

Protect

Quartzline

PROTECT FAST CURE

PROTECT SAYS IT ALL

A Quartzline Protect Fast Cure floor system provides protection for floors that are used intensively and need to support heavy loads. This floor finish is easy to apply and has a very short walk on time.

Quartzline BV in Dordrecht develops and produces floor and wall systems exclusively for professional floor installers and finishing companies.



Quartzline

DROP INTO OUR
SHOWROOM OR COME
AND HAVE A LOOK
AROUND OUR PLANT

Protect PERFECT FINISH

QUARTZLINE FLOOR SYSTEMS

- 1 Fast delivery
- 2 Excellent quality
- 3 Durable

There are countless situations where a floor needs to meet the following requirements: it must be strong, non-slip, liquid tight, odourless, solvent free, colourfast, and easy to apply with a short curing time.

»» BY QUARTZLINE



PROTECT FAST CURE is a coating based on a two-component polyaspartic, which can be applied with or without flakes. Despite the short curing time, the polyaspartic coating remains fluid enough in the bucket to be brushed or rolled out for a long time. The result is an almost indestructible, beautiful floor available in 15 attractive decorative flake mixes. The neutral pigments are available in all RAL and NCS colours.

EDS | ONE-DAY SYSTEM

Quartzline Protect Fast Cure is an EDS-category floor, that's to say that one layer needs approximately one hour of curing time. This means that the floor can, in general, be ready for use again in just half a day, though the curing time can be affected by the type of surface to be finished.

We recommend that **Quartzline Protect Fast Cure** be applied by two people working together, one to distribute the product and the other to roll it out. Thanks to the fast curing time the floor has a very short walk on time.

»» APPLICATION




FAST CURE

FAST CURE IS AVAILABLE IN 3 VARIATIONS: COLOURED, FLAKE AND ANTI SKID

01

COLOURED

The result is a non-fading, high-gloss coating that can be applied in one or two layers.



02

FLAKE

The coating can be broadcast with flake mix to create a pleasing flecked effect. After the broadcast layer the floor is finished with two transparent layers. It is important to sand down the first top coat before applying the second to prevent any rough, sharp spots on the floor and get a flush finish.



03

ANTI SKID

An anti-slip floor is created by broadcasting with quartz aggregate over a coating layer. The second coloured coating layer protects the broadcast layer. By applying just one or two layers of Quartzline Protect Fast Cure you can quickly transform a floor into a modern, durable floor.



MATTE OR SATIN FINISH?


For when a matte or satin finish is preferred, the desired result can be achieved using **Quartzline Coating PU MG Matt** or **Quartzline Coating PU MG Satin Gloss**. These top coats are only suitable for indoor use.

»» ORDER ONLINE

Order everything you need for a **Quartzline Protect Fast Cure** floor coating online.

REQUEST A SAMPLE FOLDER

See the Quartzline Protect Fast Cure sample folder for product samples and colours. You can order this on our website or give us a call on +31 78 65 188 3100.



»» www.quartzline.nl



VX113



VX123



VX133



VX211


+ Coating PU MG Mat




VX221




VX231




VX311




VX321




VX331




VX411




VX421




VX431



VX511



VX521



VX531

Quartzline has taken the utmost care in compiling this leaflet. All the same, the colours shown in this leaflet may deviate from the actual colour of the top coats of our floor systems as they appear when applied on location.

Eurostep
Tymiankowa 37/39
95-054 Ksawerów (P)
+48 609 222 050
info@eurostep.pl

Quartzline BV
W.A. Boogaerdtstraat 5
3316 BN Dordrecht (NL)
+31 78 65 131 00
info@quartzline.nl